INFORMATION REPORT INFORMATION

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

SUBJECT	1. I P. 2. S	lant i tate C hchelk	l Grin n Mosc hemica ovo	ding l ow l Plan			APPRAIS	REPORT DATE DIST NO. PAGE REFERENCE	s I	Awayus	50	4 0X1-HUM 50X1-HUM
DATE OF INFO. PLACE &	P. 2. S. S.	lant i tate C hchelk	n Mosc hemica ovo	ow 1 Plan	nt in		APPRAIS	NO. PAGE	s I		50	0X1-HUM
DATE OF INFO. PLACE &	S	nchelk	ovo			ITIVE.	APPRAIS	REFERENCE	S		_	
INFO. PLACE &	sc	OURCE E	VALUATI	ONS AR	RE DEFIN	ITIVE.	APPRAIS	SAL OF CO	NIENT IS	TENTATIVE.	_	
nı cl Ti Oj	umeri haser he re perat	cal de s,and port g ions.	benevs signat one-co ives i Attac	kaya, ion. lumn p nforma hed an	Moscov The pl paper p ation o	w. Account may be a consideration the constant of the constant	cordir anufac ators, ir wor	ng to the etured in and emp	report ternal loyed a dition	y Machine t this pla grinders, about 3000 s and on cout of the	ant had , threa) perso letails	no 3.Semps ms. of
Si ac 10 Ti	hcheli cid a: 000 w he re	kovo (i nd sal orkers oort g	N 55-5 t to , and ives f	productions of the production	38-00), se a co ubordin r info	which	h amor ve aci o the n on w	ng other d. The Ministry working c	things plant of Che ondition	l Plant in combined employed a emical Indons and de the lay	sulfur about lustry. etails	of
us	sed b	the	plant.	antze.	010H 8	a sank	car u	seu by t	∵e b⊤ a ι	io, a tank	L FUCE	50X1-HUN
												S
						C ≤ 0-	- N- F- I	-D-E-N-T	- T-A-L		5	0X1-HUM
STATE X	ARMY	x	NAVY	x A	ATR .	15 -	H-	AEC	1	1 1		

Sanitized Copy Approved for Release 2010/08/20: CIA-RDP80T00246A049900390001-6
THE STATE CHEMICAL PLANT IN SHCHELROVO

50X1-HUM

- 1. The State Chemical Plant in Shchelkovo (N 55-55, E 38-00), known only as the Shchelkovskiy Gosudarvstvening Khimicheskiy Zavod, was subordinate to the Ministry of Chemical Industry. It had no numerical designation. It was located in a deserted area in the socalled chemical plant quarter in the Shchelkovo rayon, about 20 to 25 kilometers northeast of Moscow. The site was near the Shchelkovo railroad station about 1,500 meters from the city proper. The plant consisted of five main buildings surrounded by a wooden fence about two meters high; the perimeter measured about 11,500 meters. All the buildings were about the same size and of brick construction with uralite roofing (refer to sketch No. 1 showing the plant layout, and legend for same on page 3);
- 2. The plant employed about 1,000 workers, an estimated two percent of whom were specialists. A three-shift, seven-hour daily work schedule was in effect, but the employees worked an extra hour per

ONFIDENTIA

50X1-HUM

50X1-HUM

(20)

FORM NO. 51-58 PREVIOUS EDITIONS MAY BE USED.

C-O-N-F-I-D-E-N-T-I-A-L

50X1-HUM 50X1-HUM

-2-

shift i	n o	der	to	work	one	day	less	per	week.
---------	-----	-----	----	------	-----	-----	------	-----	-------

50X1-HUM

Employees were given 21 days vacation each year.

Plant employees and their families lived in two and three story buildings lecated about 200 meters from the plant.

- A single track, Soviet wide-gauge railroad line entered the plant 3∙ area and connected with a branch line from Monino (N 55-51, E 38-11); the latter, in turn, connected with the Moscow-Zagorsk railroad line. Raw materials, consisting of common salt and coal, were shipped in by rail from unspecified points in the USSR. The chemicals manufactured in the plant were transported via tank trucks (number and size unknown) and four railroad tank cars. The latter had a capacity of 50 tons each and both the carriage and tank were 25 meters long and 1.50 meters wide; the tank itself was 1.50 meters high and painted yellow, with the plant's name in black letters on both sides; beneath the name were the words "return immediately" (nemedlennyy vozvrat). (Refer to sketches, numbered 3 and 4, of the tank trucks and tank cars.) The plant's production was exactly geared to the demand, since no products were kept on the premises longer than 24 hours, no storage system was necessary. About twice a year the acids were piped directly from the production sections into the railroad tank cars.
- 4. The building designated as No. 5 (refer to sketch No. 1) was, like buildings numbered 1, 3 and 4, an acid section; located on the first floor of this two-story building was a pump which forced sulfuric acid (H₂SO₄) from a tank up to the second floor, where the acid and salt were processed in a furnace; during processing, the mixture was stirred constantly by power-driven blades. The resultant gaseous product was then put into special containers and dissolved in water (both gas and water were measured and weighed) to produce a corrosive acid which was harmful to the eyes; its fumes were injurious to the teeth. A total of 21 employees, seven on each shift, worked in this building.
- 5. The organizational set-up in the plant is shown in sketch No. 2. A 16-man guard unit, armed with 9 mm. caliber pistols, maintained security. The plant had no fire squad and utilized fire-fighting equipment from the city of Shchelkovo.
- 6. The following is the legend for sketch No. 1 showing layout of the State Chemical Plant in Shchelkovo.

C-O-N-F-I-D-E-N-T-I-A-L

Sanitized Copy Approved for Release 2010/08/20 : CIA-RDP80T00246A049900390001-6

C-O-N-F-I-D-E-N-T-I-A-I	C-	0 – /	I_F	_I_	D-	E-1	V_T	-I-	A-L
-------------------------	----	--------------	-----	-----	----	-----	-----	-----	-----

- 3 -

50X1-HUM

- 1. Acid Section
- 2. First Aid Station

50X1-HUM


- 3. Acid Section
- 4. Acid Section
- 5. Acid Section. This was a two-story, fireproof brick structure about 40 x 25 meters in size. On the first floor were an un-refined common salt dump and a pump and, on the second, a furnace.
- 6. Laboratory, which was located in building designated as No. 5 above.
- 7. This section was part of building No. 8 and was always kept closed for reasons unknown

50X1-HUM


- 8. Building in which Paris green (myshyak) reportedly was made.
- 9. Platform scale of unknown capacity.
- 10. Loading platform which was also used for temporary storage of bottled acids.
- 11. Sentry box alongside the entrance gate; a guard on duty in the sentry box checked all persons entering and leaving the plant.


The circles, identified by the letters, a, b, c and d, indicate the locations of smokestacks, about 25 meters high and with a base approximately 10 meters in circumference.

C-O-N-F-I-D-E-N-T-I-A-L




Sanitized Copy Approved for Release 2010/08/20 : CIA-RDP80T00246A049900390001-6






Sanitized Copy Approved for Release 2010/08/20: CIA-RDP80T00246A049900390001-6

E TIME TO THE ESPECIAL CONTRACTOR OF THE CONTRAC



CONFIDENTIAL







CONFIDENTIAL TOTAL TOTAL

The Internal Grinding Machine Flant (Zavod Vnutri Shlifovanikh Stankiy-- 50X1-HUM was not known by any other name and had no numerical designation. The plant manufactured "Cincinnati"-type internal grinders (with and without centers), "Linder"-type thread chasers and "Linder"-type one-column paper perforators; the latter were described as being one and a half meters long, two meters wide, three meters high, and weighing one and a half tons. The plant consisted of 19 buildings -- most of them obsolete

C-O-N-F-I-D-E-N-T-I-A-L

50X1-HUM

(20)

FORM NO. 51-58 PREVIOUS EDITIONS MAY BE USED.

Sanitized Copy Approved for Release 2010/08/20 : CIA-RDP80T00246A049900390001-6

C-O-N-F-I-D-E-N-T-I-A-I.

-2-

brick structures and many without roofs -- surrounded by a two-meterhigh wooden fence (refer to sketch No. 1). The personnel entrance was located on Derbenevskeya ulitsa.

2.	the water supply system		
	Was normal.	220- v olt	50X1-HUN
	current was used for operating machinery and 170-volt	current for	
	lighting purposes. A Soviet wide-gauge, single-track	railroad line,	
	a branch of the Moscow-Pobelskaya line, entered the pl	lant and most of	
	the fuel and raw materials (steel, sheet metal, ingots	s, copper, silver	,

3. The plant employed about 3,000 persons of both sexes, 40 per cent of whom were skilled workers; it usually operated on an eight-hour, one-shift schedule six days a week, although some shops (not identified) worked two shifts. Employees in the technical and administrative sections were given 12 to 24 days leave each year and specialists, 12 to 30 days. Salaries ranged from 800 to 3,000 rubles a month, depending on the worker's category. The organizational setup in the plant is shown in sketch No. 2.

and bronze) were shipped in via rail. A few four-ton trucks were also

occasionally used for transport.

4. Finished parts were generally checked by means of optical and mechanical devices. Items for shipment were packed in wooden boxes bearing the plant's initials, a picture of a glass goblet to indicate fragility of the contents, and the words "dont't tilt' (nie kantabat).

C-O-N	-F-	I-D	E-N-:	r-I-A	L-L

C-O-N-F-I-D-E-N-T-I-A-L	50X1-HUN
-3-	50X1-HUM
armed with pistols maintained security; two we	re
	50X1-HUM
the Ministry of the Machine-Tool Industry wan	ted to
nother location	 50X1-HUM
	20V I-UOIM
ning an unknown number of ten-ton capacity fur	maces.
story brick building with a uralite roof. ck structure housing a workshop where special and tuned up; the machines were described as	machines
story brick building with a uralite roof. ck structure housing a workshop where special	machines
story brick building with a uralite roof. ck structure housing a workshop where special and tuned up; the machines were described as	machines 25 achines
story brick building with a uralite roof. ck structure housing a workshop where special and tuned up; the machines were described as n perforators with three headstocks. These ma	machines 25 achines
story brick building with a uralite roof. ck structure housing a workshop where special and tuned up; the machines were described as a perforators with three headstocks. These machines were described as reduced. This shop employed about 250 to 300	machines 25 whines workers.
story brick building with a uralite roof. ck structure housing a workshop where special and tuned up; the machines were described as a perforators with three headstocks. These materials are succeed. This shop employed about 250 to 300 s was a frame building with brick walls.	machines 25 whines workers.
story brick building with a uralite roof. ck structure housing a workshop where special and tuned up; the machines were described as a perforators with three headstocks. These materials are a perforators with three headstocks. These materials are a frame building with brick walls. ere rail shipments were loaded, unloaded and series and series are a performents.	machines 25 chines workers.
story brick building with a uralite roof. ck structure housing a workshop where special and tuned up; the machines were described as a perforators with three headstocks. These materials are shop employed about 250 to 300 s was a frame building with brick walls. ere rail shipments were loaded, unloaded and s y shop building (no details known).	machines 25 chines workers.
story brick building with a uralite roof. ck structure housing a workshop where special and tuned up; the machines were described as a perforators with three headstocks. These materials are shop employed about 250 to 300 s was a frame building with brick walls. ere rail shipments were loaded, unloaded and s y shop building (no details known).	machines 25 chines workers.
	the Ministry of the Machine-Tool Industry want ather location legend for Sketch No. 1, showing the layout of the Plant:

C-O-N-F-I-D-E-N-T-I-A-L

50X1-HUM

50X1-HUM

h

- (8) A one-story frame structure housing a forge and the stamping section where sheet metal was worked.
- (9) Laboratory. This was a new, one-story, tile-roofed brick structure.
- (10) An old one-story structure.

 four or five optics specialists were employed in this shop to adjust used equipment.
- (11) A one-story building containing a shop where wooden molds were made for the foundry.
- (12) This building was an extension of No. 11. Wooden molds and ordinary bolts, nuts, pegs and similar items were made in this shop.
- (13) Grinder machine assembly shop. This was a tile-roofed fireproof brick building.
- (14) Planning and control section. This was an old one-story building.
- (15) An eld two-story building containing a tool shop and an assembly shop; in the latter, paper perforators were assembled.
- (16) A one-story building housing a fire station, garage and small storage rooms.
- (17) An old two-story building containing machine shops; the heavy machinery and vertical lathes were worked in the shop located on the first floor.
- (18) A one-story building housing the pass-issuing office
- (19) Planning offices (no description of building given). About 50 persons, including a production chief, six to ten foremen, draftsmen and clerks were employed in these offices.

C-O-N-F-I-D-E-N-T-I-A-L

Sanitized Copy Approved for Release 2010/08/20 : CIA-RDP80T00246A049900390001-6

50X1-HUM

Next 6 Page(s) In Document Denied

Sanitized Copy Approved for Release 2010/08/20 : CIA-RDP80T00246A049900390001-6

